

## Scissor Lift

Used Scissor Lift Irvine - The industrial equipment that utilizes crisscrossed steel linked arms is scissor lifts. Scissor lifts create an “X” support network to facilitate vertical lifting. The scissor lift has a rectangular platform attached to the top of it. To maintain operator safety, there are support railings at the top of the platform. The scissor lift has a low profile to maintain stability on hard, compact surfaces like concrete. Scissor lifts can use an electric motor or a combustion engine to transport and lift the machine. Since the scissor lift functions on a vertical plane, if it needs to be repositioned horizontally, the operator will have to move it into place. Rough terrain and regular lift models rely on the same lifting technology to maneuver the lifting components. The rough terrain units are designed for driving on gravel and uneven surfaces. Oversized all-terrain tires often accompany rough terrain models to provide higher ground clearance. These scissor lifts feature 4WD to get through muddy and difficult terrain. Lower lifting heights are offered due to the higher center of gravity. Scissor lifts can seem intimidating if you have not used one before. While you may think this machine is susceptible to swaying in the wind or becoming unbalanced, understand that it has been designed to ensure total operator safety and that likely, you will not even feel the machine moving. Numerous safety tests need to be completed prior to being capable of being sold. It is natural to feel uncomfortable if you are new to this type of equipment. It is essential to maintain safety precautions all of the time. There are many different kinds of electric scissor lift models to choose from, depending on what you will be using it for. The scissor lift model you will need will largely depend on the types of jobs you will need to do. Key factors to consider include how high you will need to reach and the types of loads you will be moving. Extreme heights can be attained by different models depending on your specific application. Compact units are often used for interior locations including factories, warehouses or freight locations. There is no reason to buy the biggest and best model on the market if you are not going to use the highest capacity. There are extra platforms and railings available to provide additional safety measures. These units are safe and reliable. If these machines did not follow strict safety rules and particular inspections, they would not be for sale across the globe. Scissor lifts enable us to finish tasks that normally are inaccessible or unreachable otherwise. As these machines vertically elevate, the machine is transported into the correct location before lifting occurs. Before the lift is engaged, the operator will properly position the unit. Numerous safety features have been designed into the machine. Safety is accomplished by following operational guidelines. The scissor lift’s safety basket creates a secure work area compared to trying to accomplish similar tasks from a ladder or scaffolding. The majority of scissor lifts utilize batteries that are internally mounted inside of the base of the lift to generate power. After working an extensive shift or for prolonged periods of time, charging is necessary. Batteries may be changed every 12 hours or charged many times throughout the day. To charge the scissor lift, the operator parks it close to an electrical outlet within a well-ventilated location. The emergency shut-off switch is engaged upon parking to prevent other operators from driving off while plugged in. The large red button found inside the lift or the basket, close to the charger or the control box is the emergency shut-off switch. Newer scissor lifts commonly have their battery charger on the right side of the unit. Older machines may feature a battery charger on the rear of the machine. The charger for the machine is plugged into the AC extension cord within a well-ventilated area and the extension cord plugs into an electrical outlet. The length of the electrical cord on the battery charger needs to be short to prevent damage or running over it. There is a high possibility of danger if the extension cord dropped out of the battery charger while the machine is in operation. Ideally, all of the lights on the charger should become illuminated after the scissor lift is plugged in. Once the unit is plugged in, the batteries automatically start to charge. After the charging is complete, the battery lights switch to green and the charger shuts down. Models that are older and rely on a meter will show zero volts after they are charged fully and then the charger will also turn off automatically. After the scissor lift is completely charged, the

unit is ready to get back to work. It is common for warehouses and businesses to have numerous batteries continually charging to keep the scissor lift operating 24 hours a day.